

FIG. 7B




FIG. 7C




FIG. 7B




FIG. 7C




FIG. 2




FIG. 3





FIG. 4A

CAD
SOURCE
FILE 402



OBJECT GEOMETRY 474	THICKNESS PROPERTY 476	COLOR PROPERTY 478	LAYER PROPERTY 480	ID PROPERTY 481	TRANSLATION TOGGLE 482	
Circle	10	Red	G 1	7594	Insert	• • •
Triangle	8	Blue	G 1	1628	Insert	• • •
• • •	• • •	• • •	• • •	• • •	• • •	• • •

470

472




FIG. 5




FIG. 6A

620

DWG Link Options

Sorting Options

Combine by:
622 Layer, Thickness
☐ Preserve Access to Individual AutoCAD Entities

Layer Options

Exclude Layers...

Geometry Options

628
☐ Weld Weld threshold: 0.1
☒ Auto-smooth Smooth-angle: 30.0
☒ Unify normals
☐ Cap closed entities
☒ Skip hatches and points
☐ Reset AutoCAD entity thickness

Geometry Interpolation

ACIS surface deviation: 0.1
Curve steps: 6

OK

Cancel

624
626
630

FIG. 6B




FIG. 6C

650

DWG Link Options [X]

Sorting Options

Combine by:

Layer ▼

☒ Preserve Access to Individual AutoCAD Entities

Layer Options

Exclude Layers...

Geometry Options

☐ Weld Weld threshold: 0.1 ▲▼

☒ Auto-smooth Smooth-angle: 30.0 ▲▼

☒ Unify normals

☐ Cap closed entities

☒ Skip hatches and points

652 ☒ Reset AutoCAD entity thickness

Geometry Interpolation

ACIS surface deviation: 0.1 ▲▼

Curve steps: 6 ▲▼

OK Cancel

FIG. 6D